INDEX TO VOLUME XV

New species in blackface type.

AAMODT, O. S., and M. N. LEVINE., Physiological evidence on the genetic identity of natural and synthetic strains in wild emmer, 554–558

———, see HAYES, H. K.

ABBOTT, HOWARD C., An easy method of mounting superficial fungi for study, 245–246

Abies, concolor, 549

Abstracts, of papers presented at the sixteenth annual meeting of the American Phytopathological Society, Washington, D. C., Dec. 30, 1924, to Jan. 1, 1925; of papers presented at the eighth annual meeting of the Pacific Division of the American Phytopathological Society, 1924, 125–128; of papers presented at the sixth annual meeting of the Canadian Division, American Phytopathological Society, Ottawa, Canada, Dec. 22 to 23, 1924, 300

Agar blocks, use of in photographing living spores, 44

Agropyron, repens, 555; repens, host of Marasmius **tritici**, 118; tenerum, 555

Alfalfa, a new bacterial disease of, 243–244; disease of, Aplanobacter **insidiosum**, n. sp., 496–497; a note on the brown leaf-spot of, 714–719; crown wart of in Indiana, 806; effect of walnuts on, 779; susceptibility to Tylenchus dipsaci, 510

Almond, Pythiaceous infection of, 391–392

Alsike clover, susceptibility to Tylenchus dipsaci, 510

Alternate hosts of Puccinia coronata Corda, 54

Alternaria solani, cause of tuber rot in potatoes, 49, 282

Amaranthus, spinosus, freedom from H. radicicola, 507

American Phytopathological Society, abstracts of papers presented at the sixteenth annual meeting, Washington, D. C., Dec. 30, 1924, to Jan. 1, 1925, 44–60; report of sixteenth annual meeting, 304–318; constitution of, 618–625; list of members, 625–649; abstracts of papers presented at the eighth annual meeting of the Pacific Division, 125; summer meeting of and annual meeting of its Pacific Division, 355; Canadian Division, abstracts of papers presented at, Ottawa, Ont., Canada, Dec. 22 to 23, 1924, 300

Amphids, description of in nemas, 516

ANDERSON, H. S., Rhizopus rot of peaches, 122–124

ANDERSON, P. J., Susceptibility of Nicotiana species, varieties and hybrids to tobacco wildfire, 77–84

Antagonism of the walnuts (Juglans nigra L. and J. cinerea L.) in certain plant associations, 773

Anthracnose, of apple trees, 728; of European privet, 261

Aphanomyces **euteiches** on peas, 111–114

Aphis gossypii, used in cross inoculations of cucumber mosaic, 734

Aplanobacter **insidiosum** n. sp., 496–497

Apple, bitter-rot, control of, 56; blotch, 246–247; Pythiaceous infection of, 392; scab, relation of rainfall to ascospore discharge and infection, 56; scab, seasonal development, 57; scab, seasonal development and control of, 57; spray injury to, 405–415; trees, effect of sulfur in treating crown gall of, 105

Apple-tree, anthracnose of, 728

Apricot, Pythiaceous infection of, 392–396

Armillaria mellea, 550; observations on in culture, 729

Arsenical, injury of the peach, 321–331

ARTSCHWAGER, ERNST, see GILBERT, W. W.

Asclepias syriaca, source of primary infection for cucumber mosaic, 733

Aspergillus, niger, used in testing efficiency of fungicides, 206

ATANASOFF, D., The Dilophospora disease of cereals, 11–40; new studies on stipple-streak disease of potato, 170
Attenuation of the virus of sugar beet curly-top, 745
Avocado scab organism, 806

Bacillus, amylovorus, and bacteriophage, 365; atrosepticus, and bacteriophage, 357–370; carotovorus, and bacteriophage, 357–370; coli, and bacteriophage, 365; dysenteriae (Shiga), and bacteriophage, 365; melonis, and bacteriophage, 365; typhosus, and bacteriophage, 365; typhosus, effect of benzoquinone on, 783
Bacterial, disease, of alfalfa (new), 243–244; disease of tomatoes new to British Columbia, 302
Bacteriophage, in relation to plant pathogenes, 357–370
Bacterium, pruni, and bacteriophage, 365; solanacearum, 55; tumefaciens, and bacteriophage, 357–370; isolation of from nursery stock, 804–805; tumefaciens, strands and secondary tumors, 435–449
Balsam fir, decay of, 302
Bark diseases of citrus trees in Sicily, 41–42
Barley, control of loose smut, 51; control of stripe, 51; infection by loose smut through seed inoculation, 59; Marasmius on, 115; new seed disinfectants for the control of the smuts of, 651–675
BARSE, H. P., Results of experiments in 1924 with various chemical dusts for smut control in wheat (abst.) 1927; serious blossom blight in Pacific Northwest due to a species of Monilia, 126; some problems connected with seed treatment of cereals, 727
——— and H. C. STEARNS, The green muscadine fungus (Oospora destructor (Metchu) Delacroix on European earwig and other insects in Oregon, 729
Basisporium gallarum, 147
Bean, a disease of, caused by the virus of sugar beet curly-top, 731
Beets, a Myxomycete in roots of, 727
BENSAUDE, MATHILDE, Flagellates in plants: a review of foreign literature, 273
Biological and cultural studies of Exoascus mirabilis, 214
Biological races, of nemas, 511
Bibliography, of American Natural History, A, 65; der Pflanzenschutzliteratur, 43
Bitter-rot of apples, control of, 56
Black-dot disease, of potato, taxonomic studies, 300
"Black leaf 40," 237
Black rot investigations on Long Island, second progress report, 48; and Myxosporium canker of apple and pear in the Pacific Northwest (title only), 125
Black stem rust, Webster, a common wheat resistant to, 691–698
Blast, of oats, 564–567
Blight, root rot, or, of canning peas, 300; western yellow tomato, 470–478; western yellow tomato, as affected by high evaporation, 470–478; western yellow tomato, as related to humidity and wind movement, 473–477; western yellow tomato as related to monthly evaporation, 475–477; western yellow tomato as related to precipitation and temperature, 474
Blossom blight of fruit due to Monilia, 126
Blossom-end rot of pepper (Capsicum annuum L.), B. B. HIGGINS, 50, 223
Blotch, of apple, 246–247
Blue stem (Verticillium wilt) of raspberries, 125
Board of Agriculture for Scotland, 43
BONDE, REINER, see FOLSOM, DONALD
Book review, Manual of vegetable garden diseases by C. C. CHUPP, 570–572
Bordeaux, mixture, effect of calcium carbonate, 183; spray injury to apples from, 405–415; powder, 235
Botryosphaeria, ribis, a rot of apples caused by, 230; ribis chromogena, on citrus fruits, 333
Botrytis allii, growth characteristics of, 712; **byssoidea**, description of, 709;

squamosa, description of, 710–711; two undescribed species of, associated with the neck rot disease of onion bulbs, 708–713

BOYCE, J. S. Investigative work on white pine blister rust in the Pacific Northwest, 125

Brassica campestris var. annua, Catch plant for beet nemas, 503

British Columbia, a bacterial disease of tomato new to, 302

Browning disease of flax in North America, 806–807

Brown-rot, 55; fungus, European, presence of, in America, 535–542; of peaches compared with Rhizopus rot, 122

Browning, internal of watermelon, 119

BRYAN, MARY K., Verticillium wilt of tomato, 187

BULLER, A. H. R., Experiments on sex in mushrooms and toadstools; report of the work of IRENE MOUNCE, W. F. HANNA and DOROTHY E. NEWTON, 302

Bunt, control, seed treatment for, 127; of wheat, new seed disinfectants for the control of, 651–675

Cabbage, drop of caused by Sclerotinia sclerotiorum, 349; drop of Chinese and common, 50; Pythium infection of heads, 482–485

Cacao canker in Java, 44

Calcium carbonate, effect of on Bordeaux mixture, 183

CALDIS, P. D., A rot of Calimyrna fig in California, 728 Calimyrna fig, a rot of, 728

CAMPBELL, ELMER GRANT, Potato leaf roll as affecting the carbohydrate, water, and nitrogen content of the host, 427–430

Canada, plant pathology in, 300

Canadian Division, American Phytopathological Society, papers presented at the sixth annual meeting of, Ottawa, Ontario, Dec. 22 to 23, 1924, 300

Canker, cacao in Java, 44

Canning peas, root rot of, blight of, 300

Capsicum, annuum L., 223; host of cucumber mosaic, 737

Carbohydrate, content of potato plants as affected by leaf roll, 427–430

Carbohydrate-nitrogen ratio, of potato plants as affected by leaf roll, 427–430

CARSNER, EUBANKS, A bean disease caused by the virus of sugar beet curly-top, 731; attenuation of the virus of sugar beet curly-top, 745

Celery blights, 50; a mycorrhizal fungus in the roots of, 727

Cell inclusions, 195–200

Ceratostomella, fimbriata, cytological study of, 417–422

Cercospora, lactucae, 247; leaf spot of lettuce, 247

Cereal rusts, controlled by dusting, 611–613

Cereals, Marasmius on, 115

Certain aspects of the virus diseases, H. H. MCKINNEY, 189

Chemical dusts for smut control in wheat, 127

Chemotaxism, in nemas, 515

Chenopodium, album, injury by nemas, 503; murale, importance in the attenuation of sugar beet curly-top, 745

Cherry, Pythiaceous infection of, 393–395

Chicory, wilt of, 730

CHILDS, LEROY, see ZELLER, S. M.

Chinese cabbage, and common cabbage, drop of, caused by Sclerotinia sclerotiorum, 249

Chinese elm, Tubercularia canker of, 729

Chlorophol, for the control of cereal smuts, 651–676

Choanephora **persicaria**, causing a storage rot of peaches, 607–610; description of, 610

CHRISTENSEN, J. J., and E. C. STAKMAN, Foot and root rots of wheat in Minnesota in 1924, 53

———, Physiologic specialization and mutation in Helminthosporium sativum, 785

———, see IMMER, F. R., 699–707

Christmas berry, scab, 178

CHUPP, C. C., Manual of vegetable garden diseases, book review of, 570–572
Circaea intermedia, freedom from H. radicicola, 505; lutetiana, infested by H. radicicola, 505
Citrus aurantium Linn, host of Sphaceloma fawcettii, 103; grandis, host of Sphaceloma faucettii, 103; limonia, host of Sphaceloma faucettii, 103; scab fungus, 99–104; trees, bark diseases in Sicily, 41–42
Cladosporium, album, 457; citri on citrus, 99; citri, Fawcett, synonym of Sphaceloma fawcettii, 101; citri Massee, on citrus, 99; herbarum Massee, on citrus, 99; pisi, 457; spot of Cow pea, 453–463; **vignae** n. sp., 453–463
CLAYTON, E. E., Second progress report of black rot (Pseudomonas campestris) investigations on Long Island: seed infection and seasonal development, 48; second progress report on seed treatment for black leg (Phoma lingam) and black rot (Pseudomonas campestris) of cruciferous crops, 49
Clemson College, fire at, 569
Clover, bur, a Pyrenomycetous leaf spot of, 677–689
Colletotrichum atramentarium, cause of black-dot disease of potato, 300
Conclusions from four years' tests of various methods of seed treatment for bunt control in Idaho (abst.), 127
Conference for the study of potato virus diseases, Lincoln, Nebr., Dec. 28, 1925, 725
Coniothyrium, pirinum, 246
Constitution, of American Phytopathological Society, 618–625
Control, of apple bitter-rot, 56; of barley stripe, 51; of flax rust, 53; of loose smuts of wheat and barley, 51; of white pine blister rust in the Northeastern states, 55
COOK, MEL T., Studies on the cytology of sugar cane mosaic, 45; two new bacterial diseases, 55
COONS, G. H. and J. E. KOTILA, The transmissible lytic principle (bacteriophage) in relation to plant pathogenes, 357–370
Copper carbonate dust in smut control, 127
Corn, action of fungus as cause of down corn, 146; breaking strength of stalks, 147; relation of internal cob discoloration to yield, 52; relation of susceptibility to Gibberella suabinetii and balanced nutrient supply, 59–60; Sclerospora on, in America, 720–721
Corona No. 620, for the control of cereal smuts, 651–676
Corticium vagum, on peas, 112; parasitic on pea, 53
Cosmos, bacterial wilt of, 55
COTNER, F. B., Physiology of zoospore formation among certain species of Phytophthora (title only), 125
Cotton seedlings, damping off caused by Fusarium vasinfectum, 486–488
COULSON, J. G., and E. A. LODS, oat smut infection in relation to size of grain, 302
Cow pea, Cladosporium spot of, 453–463
Cowpeas, susceptibility to Tylenchus dipsaci, 510
Cranberry, false blossom of, 85
Cronartium asclepiadeum, germination of teliospores of, 574; ribicola, 55; ribicola, conditions antecedent to the infection of white pines by, 573–583; inoculation of Pinus strobus with sporidia of, 584–590; ribicola, longevity of uredospores, teliospores and sporidia, 58
CROSS, L. F., A field test of mercuric chloride solutions in potato seed treatment, 241–242
Crowngall, cytological studies, 48; influence of temperature and of previous infection on, 45; effect of sulfur on, 105; in relation to nursery stock, 804; so-called strands and secondary tumors of, 435–455
Crown wart, of alfalfa in Indiana, 807
Cucumber mosaic, overwintering of, 733
Cultural and morphological studies of some species of Taphrina, 67–76

Curly-top, of sugar beet, attenuation of the virus of, 745; virus of, causing a bean disease, 731
Cytological study of Ceratostomella fimbriata (E. and H.) Elliott, 417–422
Cytological studies of crowngall tissue, 48
Cytology of sugar cane mosaic, 45

Damping off, of cotton seedlings by Fusarium vasinfectum, 486–488
DANA, B. F. and C. W. HUNGERFORD, Witches broom of potatoes (title only), 125
DANIELS, EVE, see TEHON, L. R., 714–719
Datura stramonium, faintness of mosaic symptoms on, 740
DAVIS, J. J., see MCKINNEY, 494–495
DAVIS, W. H., Drop of Chinese cabbage and common cabbage, 50; drop of Chinese and common cabbage caused by Sclerotinia sclerotiorum (Lib.) Massee (Sclerotinia libertiana Fckl.), 249
DEARNESS, JOHN, a mycologist at large, 301
Decay, in balsam fir, 302
DEONG, E. R. and W. C. ROOT, The effect of calcium carbonate on Bordeaux mixture, 183
Detection of spoilage in berry products (title only), 125
DICKSON, B. T., Oat smut control tests at MacDonald College during 1924, 301; plant pathology in Canada, 300; taxonomic studies of the organism causing black-dot disease of potato, 300
DIETZ, S. M., Alternate hosts of Puccinia coronata Corda, 54; The inheritance of resistance to Puccinia graminis avenae, 54
Dilophospora alopecuri, 11–40; disease of cereals, 11–40
Dioscorea illustrata, reaction to Heterodera radicicola, 528
Diplodia, the citrus stem end-rot; its life history and relation to Sphaeropsis malorum, 332–340; natalensis, the citrus end-rot organism, 332; zeae, 147
Diseases, of crop-plants in the Lesser Antilles, by WILLIAM NOWELL, review of, 433; new, to Ontario, some notes on, 300
Disease resistance, inheritance of in wheat and oats, 51; in wheat and oats, 341
Disinfectants, new seed, for the control of bunt of wheat and the smuts of oats and barley, 651–675
Distribution, geographic, of milkweed flagellate, Herpetomonas elmassiani (Migone), 297
DOOLITTLE, S. P. and F. R. JONES, The mosaic disease of the garden pea and other legumes, 763
Douglas fir, Polyporus schweinitzii on, 568–569
DRECHSLER, CHARLES, Leaf-spot of maize, a disease distinct from leaf-blight, 47; a leaf-spot of red-top caused by an apparently undescribed species of Helminthosporium, 51; Pythium infection of cabbage heads (title), 482–485; root rot of peas in the middle Atlantic States in 1924, 110–114
Drop of Chinese and common cabbage, 50; of Chinese cabbage and common cabbage caused by Sclerotinia sclerotiorum, 249
Drought, effects of in Sierra Nevada forests, 549–553
"Dry mix" sulphur, spray injury to apples from, 405–415
DURRELL, L. W., a preliminary study of fungous action as cause of down corn, 146
Duster, efficiency of a self-mixing, 235–237
Dusting, celery seedbeds to control blights, 50; control of cereal rusts by, 611–613
Dusts, chemical for smut control, 127
"Dwarf" loganberry, 125

EASTHAM, J. W., An unusual vascular browning of potato tubers as a result of frost, 731
EDDY, E. D., A storage rot of peaches caused by a new species of Choanephora, 607–610
EDGERTON, C. W., Selecting for resistance to the sugar cane mosaic, 45
Effect, of intermittent temperatures on

potato mosaic, 46; of soil treatment with sulfur upon crown gall in nursery apple trees, 105
Efficiency of a self-mixing duster, RALPH E. SMITH, 235
Egg-plant, bacterial wilt, 55
Einkorn, 556
ELLIOTT, C., Oat blast, 564–567
ELLIOTT, JOHN A., A cytological study of Ceratostomella fimbriata (E. and H.) Elliott, 417–422
Elm, Chinese, Tubercularia canker of, 729
Emmer, natural and synthetic strains, physiological evidence on identity of, 554–558
Endothia gyrosa, notes on the parasitism of, 489
Erysiphe, graminis secalis, rye resistant to, 58; graminis tritici, 555–557
European privet, anthracnose of, 261
Exoascus communis, 67; deformans, 244–245; mirabilis, 67; mirabilis, biological and cultural studies of, 214–222
Experiments, on sex with mushrooms and toadstools; a report of the work of IRENE MOUNCE, W. F. HANNA and DOROTHY E. NEWTON, 302
EZEKIEL, WALTER N., Presence of the European brown-rot fungus in America, 55, 535–542

Factors influencing the development of Melampsora lini (Pers.) Desm., 53
Fagus americana, Endothia on roots, 489
False blossom of cranberry, field observations on, 85
FAWCETT, HOWARD S., Observations on bark diseases of citrus trees in Sicily, 41–42
FELLERS, CARL R., Detection of spoilage in berry products (title only), 125
FENNER, E. ALINE, A rot of apples caused by Botryosphaeria ribis, 230–234
Festuca elatior, 555; pratensis, 555
Field, observations on the false blossom of the cultivated cranberry, 85–91; test of mercuric chloride solutions in potato seed treatment, 241
FILLER, E. C., The control of white pine blister rust in the Northeastern states, 55
Fir, balsam, decay of, 302
FISHER, D. F., Water core in apple (title only), 125
FITCH, H. W., Quantitative determination of sulphur fungicides on foliage, 351
Flagellate, milkweed, non-pathogenicity of in Maryland, 294; geographic distribution of milkweed, Herpetomonas elmassiani (Migone), 297; in plants: a review of foreign literature, 273
Flax, browning disease of in North America, 806–807; rust, control of, 53
Flea beetles, on Physalis as agents of transmission of mosaic, 743
FOLSOM, DONALD and REINER BONDE, Alternaria solani as a cause of tuber rot in potatoes, 49, 282
Fomes annosus, 550
Foot and root rots of wheat in Minnesota in 1924, 53
Foot rot, of the sweet potato, 238–240
Foreign literature, review, on flagellates in plants, 273
Forests, effect of drought on, 549–553
Formaldehyde, injury to watermelon, 479–481
French endive, center rot of, 730
Frequencies of ascospores of Venturia inaequalis in orchard air, 57
Frost, cause of vascular browning of potato tubers, 731
Fruit trees, deciduous, further studies on Pythiaceous infection of, in California, 389–404
FULTON, H. R., Review of: Diseases of crop plants in the Lesser Antilles, by WILLIAM NOWELL, 433
Fungous action of as cause of down corn, 146
Furfural in smut control, 127
Fusarium, **alluviale** n. sp., 167; anthophilum (A. Br.) Wr., 160; asclerotium on peach, 95; **bostrycoides** n. sp., 166; bullatum Sherb., 159; bullatum Sherb. var. **minus** n. v., 159; **camptoceras** n. sp., 158; **chlamydosporum** n. sp., 156;

conference, the, 47; cromyophthoron, 129; **ensiforme** n. sp., 169; fructigenum Fr. var. maius Wr. forma 1 n. f., 165; **longipes** n. sp., 160; **macroceras** n. sp., 166; martii var. pisi, on peas, 111; moniliforme Sheld., 162; moniliforme Sheld. var. **erumpens** n. var., 163; moniliforme Sheld. var. **maius** n. var., 163; moniliforme Sheld. var. **subflutinans** n. var., 163; **neoceras** n. sp., 164; pirinum on peach, 95; rot of peach, 92–98; saubinetii, 165; section Arthrosporiella, 157; section Elegans, 166; section Gibbosum, 158; section Lateritium, 164; section Liseola, 161; section Martiella, 167; section Orthocera, 166; section Roseum, 160; section Sporotrichiella, 156; Semitectum Berk. and Rav., 157; solani on peach, 97; sp., 147; theobromae App. et Strk., 168; tropical species new or revised, 185; vasinfectum, cause of damping off in cotton seedlings, 486–488; vasinfectum, effect on cotton seed germination, 488

Fusicladium **photinicola** n. sp., 181

GAINES, E. F., The inheritance of disease resistance in wheat and oats, 341; inheritance of disease resistance in wheat and oats, 51

GARDNER, MAX W., Cladosporium spot of cow pea (title only), 453–463; Hyperplastic crushing of the tracheal tubes in mosaic tomato stems, 759

Garden pea, mosaic in, 763

Garden plants, effect of walnuts on, 779

Geographical distribution of the milkweed flagellate, Herpetomonas elmassiani; its non pathogenicity in Maryland, 46

Germination of cotton seedlings, affected by Fusarium vasinfectum, 488

Gibberella, saubinetii, 59–60, 147

GILBERT, W. W. and ERNST ARTSCHWAGER, Watermelon internal browning, 119–121

GILL, LAKE S., Notes on sporophores of Polyporus schweinitzii Fr., on yellow pine (title), 492–493; Peridermium harknessi Moore in western yellow pine tops, 617

GODFREY, G. H., Application of certain organic mercury compounds in plant pathology, 127

GRAVATT, G. F., see HEDGCOCK, G. G.

GRIFFEE, FRED, see STAKMAN, E. C., 691–698

GRIFFITHS, MARION A., see TISDALE, W. H., 651–675

Grossullaria divaricata, host of white pine blister rust, 125

Ground rot disease of sweet potato, relation of soil moisture to, 287

Growth, of Helminthosporium gramineum, factors influencing, 802

Gymnosporangium blasdaleanum, on incense cedar, 614–616

HAENSELER, C. M., and W. H. MARTIN, Arsenical injury of the peach, 321–331

Halo blight, in relation to oat blast, 564

HANNA, W. F., work of, experiments on sex in mushrooms and toadstools, 302

HART, HELEN, Factors affecting the development of Melampsora lini (Pers.) Desm., 53

HARTER, L. L., see WEIMER, J. L.

———, Manual of vegetable garden diseases by C. C. CHUPP, book review, 570–572

———, Mottle-necrosis of sweet potatoes, 45

HARTLEY, CARL, Cacao canker in Java, 44

———, Varietal tests of peanut (Arachis hypogaea) for wilt resistance, 55

HARTMAN, HENRY, The control of core break-down in pears, 731

HAYES, H. K., E. C. STAKMAN, and O. S. AAMODT, Inheritance in wheat of resistance to black stem rust, 371–387

HEDGCOCK, G. G., G. F. GRAVATT, and R. P. MARSHALL, Polyporous schweinitzii on Douglas fir in eastern United States, 568–569

Helminthosporium, gramineum, pathogenicity and physiology of, 796; sacchari, relation of growth to maintained temperatures, 463, 439; sativum, physiologic specialization and mutation in, 785; spp., cultural differences, 791

HENRY, A. W., and E. C. STAKMAN, The control of flax rust, 53
————, Browning disease of flax in North America, 806
Herpetomonas elmassiani (Migone) 46; geographic distribution of milkweed flagellate, 297
Heterodera, goettingiana, 502; radicicola, on sugar cane roots, 562; radicicola, 507; selection of host, 505; radicicola, varietal resistance of sweet potatoes to, 423–426; schachtii, 502; 505; 507
HIGGINS, B. B., The blossom-end rot of pepper, 50; Blossom-end rot of pepper (Capsicum annuum L.), 223–229
High evaporation: a precursor and a concomitant of western yellow tomato blight, 470–478
HOFFER, G. N., and J. F. TROST, Influence of balanced nutrient supply on susceptibility of corn plants to Gibberella saubinetii (Mont.) Sacc., 59–60
HOLMES, FRANCIS O., Geographical distribution of the milkweed flagellate, Herpetomonas elmassiani (Migone). Its non-pathogenicity in Maryland, 46
————, Non-pathogenicity of milkweed flagellate in Maryland, 294; geographic distribution of the milkweed flagellate, Herpetomonas elmassiani (Migone), 297
Hordeum vulgare, host of Marasmius tritici, 118
Host, selection and specialization in animal groups compared with that of plant parasitic nemas, 522; selection, by nemas, 499–534; specialization, of nemas, 499–534; specialization, causes and theoretical significance of, 523
HOTSON, J. W., A preliminary report of the Uredinales of Washington, (Abs.), 126
HOWITT, J. E., Some notes on diseases new to Ontario, 300
HUMPHREY, HARRY B., and VICTOR F. TAPKE, The loose smut of rye (Ustilago tritici), 598–606
HUNGERFORD, CHAS. W., Conclusions from four years' tests of various methods of seed treatment for bunt control, 127
————, see DANA, B. F.
————, Resistance to western yellow blight of tomato, 727
————, and J. M. RAEDER, Progress report upon potato virus disease investigations, 727
HURT, R. H., The importance of removal of mummies and affected fruit in apple bitter-rot control, 56
Hyacinths, specialization of Tylenchus dipsaci on, 507
Hyperplastic crushing of the tracheal tubes in mosaic tomato stems, 759

Illinoia (Macrosiphum) pisi, pea aphid used in pea mosaic inoculations, 765
Illinois, Marasmius parasitic in small grains in, 115
IMMER, F. R., and J. J. CHRISTENSEN, The reaction of selfed lines and crosses of maize to Ustilago zeae, 699–707
Immunity, of host to nemas, 527; to nemas, 510
Incense cedar, mistletoe in the lower bole of, 614–616
Infection of, barley by Ustilago nuda through seed inoculation, 59; oat smut, in relation to size of grain, 302
Influence, of balanced nutrient supply on susceptibility of corn plants to Gibberella saubinetii, 59–60; of temperature and of previous infection on the development of crown gall, 45
Inheritance, of disease resistance in wheat and oats, 341; of disease resistance in wheat and oats, 51; of resistance to Puccinia graminis avenae, 54; in wheat, of resistance to black stem rust, 371–387
Inoculation, of cabbage with Pythium, 483
Internal browning of watermelon, 119
International committee on Phytopathology and Economic Entomology, report for June 30, 1923, to January 1, 1925, 725
Investigative work on white pine blister rust in the Pacific Northwest for 1923, 125
Isometabolic point, 129

Java, Cacao canker in, 44

JEHLE, R. A., F. W. OLDENBURG, and C. E. TEMPLE, Relation of internal cob-discoloration to yield in corn (Second progress report), 52

JENKINS, ANNA E., The Avocado scab organism, 806

———, The citrus scab fungus, 99

JOHNSON, JAMES, A virus from potato transmissible to tobacco, 46

JOHNSON, THORVALDUR, Studies on the pathogenicity and physiology of Helminthosporium gramineum Rab., 796

JONES, FRED REUEL, A new bacterial disease of alfalfa, 243–244

———, Soil-inhabiting fungi parasitic upon the pea plant and their relation to disease, 59

———, see DOOLITTLE

JONES, L. R., Rev. of: Laboratory outlines in plant pathology, second edition, by H. H. WHETZEL, L. R. HESLER, C. J. GREGORY, and W. H. RANKIN, 432–433

Juglans, cinerea, antagonism of in certain plant associations, 773; hindsii, Pythiaceous infection of, 396; nigra L., antagonism of in certain plant associations, 773

Juglone, possible toxic constituent of the walnut

Kanred, 556

KEITT, G. W., and L. R. JONES, Frequencies of ascospores of Venturia inaequalis in orchard air, 57

———, Further studies of the seasonal development and control of apple scab and cherry leaf spot, 57

———, see RIKER, A. J.

Kidney vetch, susceptibility to Tylenchus dipsaci, 510

KIGHTLINGER, C. V., Preliminary studies on the control of cereal rusts by dusting, 611–613

KOTILA, J. E., see COONS, G. H.

Laboratory outlines in plant pathology, second edition, by H. H. WHETZEL, L. R. HESLER, C. J. GREGORY, and W. H. RANKIN, review of, 432–433

Lathyrus odoratus, mosaic in, 763

Leaf curl, of peach, 244–245

Leaf roll, of potato, as affecting the carbohydrate, water, and nitrogen content of the host, 427–430

Leaf spot, brown, of alfalfa, 714–719; of bur clover, 677–689; of maize, a disease distinct from leaf blight, 47; of lettuce, 247; of Redtop, 51–52

Legumes, mosaic in, 763

Lettuce, leaf spot of, 247; tip burn disease, 58

LEUKEL, R. W., see TISDALE, W. H., 651–675

LEVINE, M. N., see AAMODT, O. S.

———, see STAKMAN, E. C., 691–698

LEVINE, MICHAEL, So-called strands and secondary tumors in the crown gall disease, 435–453

Libocedrus, decurrens, 549

Lime-sulphur, spray injury to apples from, 405–415

Literature, of plant pathology and the Plant Industry Catalog, 722–724

LODS, E. A., see J. G. COULSON

Loganberry, "dwarf," 125; transmission of dwarf of, 732

Longevity of the uredospores, teliospores, and sporidia of Cronartium ribicola, 58

Loose smut, of rye (Ustilago tritici), 598–606

Lucerne, susceptibility to Tylenchus dipsaci, 510

LUDWIG, C. A., Fire at Clemson College, 569

MCCALLUS, A. W., A study of decay in balsam fir, 302

MCCLAIN, R. L., Scab of Christmas berry, Photinia arbutifolia Lindl., due to Fusicladium photinicola n. sp., 178

———, see RAWLINS, T. E.

MCCULLOUCH, LUCIA, Aplanobacter **insidiosum** n. sp., the cause of an alfalfa disease, 496–497

MCKAY, M. B., Newer facts concerning the Verticillium wilt of potatoes, 727; Transmission of mosaics from potato to

tomato, 727; The virus diseases of potatoes in Oregon, 727
McKINNEY, H. H., Certain aspects of the virus diseases, 189–202
———, A mosaic on winter wheat and winter rye, 495–496
———, Preliminary environmental studies on the take-all disease of wheat caused by Ophiobolus graminis Sacc., 494–495
McLARITY, H. R., and T. M. C. TAYLOR, A bacterial disease of tomatoes new to British Columbia, 302
McWHORTER, FRANK P., Cercospora leaf spot of lettuce, 247
MacDonald College, oat smut control tests at, during 1924, 301
MacINNES, JEAN, Quantitative studies on the efficiency of fungicides, 203–213
Macrosporium sarcinaeforme, on alfalfa, 714–718; solani, cause of foot rot of sweet potato and tomato, 238
Macrophoma, tabulation of, 47
MAINS, E. B., Rye resistant to leaf rust, stem rust, and powdery mildew, 58
Maize, leaf spot, 47; the reaction of selfed lines and crosses of, to Ustilago zeae, 699–707
Marasmius, parasitic on small grains in Illinois, 115–118; **tritici** n. sp. description, 118
Marquis, 556
MARSHALL, R. P., see HEDGCOCK, G. G.
MARTIN, ELLA M., Taphrina communis and Taphrina mirabilis, 431
———, Cultural and morphological studies of some species of Taphrina, 67–76
MARTIN, W. H., see HAENSLER, C. M., 321
Maryland, Non-pathogenicity of milkweed flagellate in, 294
MASSEY, A. B., Antagonism of the walnuts (Juglans nigra L. and J. cinerea L.) in certain plant associations, 773
MATZ, J., Root knot on sugar cane in Porto Rico, 559–563
Measuring water flow interference in diseased plants, 44
Medicago, susceptibility of species to Pseudoplea medicaginis, 683
MEINECKE, E. P., An effect of drought in the forests of the Sierra Nevada, 549–553
———, Evaluation of loss from killing diseases in young forests, 125
MEISEL, MAX, Awarded Oberly prize
Melampsora lini (Pers.) Desm., factors influencing the development of, 53; ribesii purpureae, 555
MELHUS, I. E., and FRANK VAN HALTERN, Sclerospora on corn in America, 720–721
MELHUS, I. E., J. H. MUNCIE, and WM. T. H. HO, Measuring water flow interference in diseased stems, 44
Melilotus alba, unsuccessful cross-inoculations from mosaic clover to garden peas and sweet peas, 770
Mercuric chloride, test of solutions in potato seed treatment, 241–242
Mercury compounds in plant pathology, 127
Method of quantitative determination of sulphur fungicides on foliage, 351
Mierampelis lobata, source of primary infection for cucumber mosaic, 733
MILES, L. E., a Pyrenomycetous leaf spot of bur clover, 677–689
Milkweed flagellate, Herpetomonas elmassiani, geographical distribution, non-pathogenicity in Maryland, 46; non-pathogenicity of flagellate of in Maryland, 294; geographic distribution of flagellate, Herpetomonas elmassiani (Migone), 297
Mistletoe, in the lower bole of incense cedar, 614–616
MIX, A. J., Anthracnose of European privet, 261
———, Biological and cultural studies of Exoascus mirabilis, 214–222
———, The weather and peach leaf curl in eastern Kansas in 1924, 244–245
Monilia, oregonensis, cause of blossom blight in Pacific Northwest, 126; 535
MORRIS, H. E., Sunflower wilt (title only), 125
Mosaic, cross inoculations from garden peas to sweet pea, 766; cross inoculations from mosaic peas to red clover,

768; cross inoculations from mosaic red clover to sweet peas, 769; cross inoculations from red clover to peas, 768; disease in the garden pea and other legumes, 763; experiments on seed transmission of pea mosaic, 769–770; of red clover as a source of infection to the garden pea and sweet pea, 767; of cucumber, overwintering of, 733; of Nicotiana glutinosa, 543–547; potato, effect of intermittent temperature on, 46; sugar cane, cytology of, 45; sugar cane, selecting for resistance to, 45–46; on winter wheat and winter rye, 494–496; tomato stems, hyperplastic crushing of the tracheal tubes in, 759

Mottle-necrosis of sweet potatoes, 45

MOUNCE, IRENE, work of, experiments on sex in mushrooms and toadstools, 302

Mushrooms, and toadstools, experiments on sex with; a report of work of IRENE MOUNCE, W. F. HANNA, and DOROTHY E. NEWTON, 302

Mutation in Helminthosporium sativum, 785

Mycologist, a, at large, 301

Mycorrhizal fungus, in celery roots, 727

Myxomycete, in roots of beets, 727

Narcissus, specialization of Tylenchus dipsaci on, 507; strain of nema on onions and Scilla nutans, 509

Neck rot diseases, two undescribed species of Botrytis of onion bulbs, 708–713

Nemas, beet, 503–504; description of amphids in, 516; free living, food selection by, 521; host selection and specialization, 499–534

Nematodes, cause of root knot of sugar cane, 559–563; varietal resistance of sweet potatoes to, 423–426

New, a, new foot-root of the sweet potato, J. J. Taubenhaus, 238

NEWHALL, A. G., Dusting celery seedbeds to control blights, 50

———, Studies on the tip burn disease of lettuce, 58

NEWTON, DOROTHY E., work of, experiments on sex in mushrooms and toadstools, 302

Nickel carbonate in smut control, 127

Nicotiana glutinosa, mosaic of, 543–547; alata resistance to wildfire, 82; alata × N. tabacum resistance to wildfire, 83; glauca, faintness of mosaic symptoms on, 740; glauca, tobacco mosaic on, 740; glutinosa, faintness of mosaic symptoms on, 740; glutinosa, tobacco mosaic on, 740; nudicaulis × N. tabacum resistance to wildfire, 84; rustica, varieties resistant to wildfire, 81; Sanderae × N. tabacum resistance to wildfire, 84; susceptibility of species, varieties, and hybrids to tobacco wildfire, 77; tabacum, list of varieties resistant to wildfire, 80; viscosum, description of, 543

Nicotine sulphate, Hall's, 235

Nitrogen, content of potato plants as affected by leaf roll, 427–430

NORRIS, ROBERT K., see ZELLER, S. M.

Notes, some, on diseases new to Ontario, 300; on the parasitism of Endothia gyrosa (Schw.) Fr., 489; on sporophores of Polyporus schweinitzii Fr. on yellow pine, 492, 493

Nursery stock, relation of crown gall to, 804

Oat rust, inheritance of resistance to, 54

Oat smut, control tests at MacDonald College, 1924, 301; infection in relation to size of grain, 302

Oats, blast of, 564–567; inheritance of disease resistance, in, 341; new seed disinfectants for the control of smuts of, 651–675

OBERLY, EUNICE ROCKWOOD, 61–64

Onion, two undescribed species of Botrytis associated with the neck rot diseases of, 708–713

Onions, infection by narcissus strain of nema, 509

Ontario, some notes on diseases new to, 300

Oospora destructor, on European earwig and other insects in Oregon, 729
Ophiobolus graminis, environmental studies on, 494–495
Organic mercury compounds in smut control, 127
Organic mercury compounds, for the control of cereal smuts, 651–676
Overwintering, of cucumber mosaic, 733
OWENS, C. E., A Tubercularia canker of Chinese elm, 729

Pacific division of the Am. Phytopath. Soc., Abstracts of papers, 125–128; annual meeting of, 355; report of the annual meeting of, 726; titles and abstracts of papers read at the ninth annual meeting of, 727–732
Pathogenicity, non-, of the milkweed flagellate in Maryland, 294; of physiologic forms of Helminthosporium sativum, 787; of mutants of Helminthosporium sativum compared with that of their parents, 792; of Helminthosporium gramineum, 796
Pathology, plant, in Canada, 300
Papaya gracilis, reaction to Heterodora radicicola, 527
Parasitism, of Endothia gyrosa, 489–91
Pea, mosaic in, 763; soil fungi parasitic upon, 59
Peach, arsenical injury of, 321–331; Fusarium rot of, 92; leaf curl of, 244–245; Pythiaceous infection of, 391–393, 396
Peaches, Rhizopus rot of 122; storage rot of caused by a new species of Choanephora, 607–610
Peanut, varietal resistance to wilt, 55
Pear, Pythiaceous infection of, 391–392
Pears, The control of core break-down in, 731
Peas, canning, root rot or blight of, 300; root-rot of in 1924, 110
Pepper, blossom-end rot, 50; blossom-end rot of, 223
Peridermium harknessi, in western yellow pine tops, 617
Phaseolus vulgaris, unsuccessful cross inoculations from mosaic bean to garden peas and sweet peas, 770
Pholiota, aurivella, 550
Phoma, lingam, 49; tabulation of, 47
Phomopsis, canker, 568; citri, on citrus fruits, 333
Phoradendron libroceдri, on incense cedar, 614–616; paucifolium, in white fir, 616
Photinia arbutifolia, scab, 178
Photographing, living spores, use of agar blocks in, 44
Phyllosticta, solitaria, 246
Physalis alkekengi, mosaic symptoms on, 740; heterophylla, mosaic on, 740; pubescens, intermediate host by which tomato mosaic may be transmitted to cucumbers, 737; mosaic of, cross inoculated to cucumber, 734; infection of N. glutinosa with mosaic of, 546; relation of certain species to the overwintering of cucumber mosaic, 733; subglabrata, mosaic on, 740
Physalospora, malorum, 230; malorum, on citrus, 337
Physiologic specialization, in Helminthosporium sativum, 785; of Helminthosporium gramineum, 801
Physiology, of Helminthosporium gramineum, 796
Phytolacca decandra, faintness of mosaic symptoms on, 740; source of primary infection for cucumber mosaic, 733
Phytomonas **chicari** n. sp. causing center rot of French endive, 730; **intybi** n. sp. causing center rot of French endive, 730
Phytophthora, faberi, 44; physiology of zoospore formation among (title only), 125; cactorum, and related strains, morphology of, 396–400; relation to Pythium and Pythiacystis, 400–401
Pine, Sporophores of Polyporus schweinitzii Fr. on, 492–493; western yellow, Peridermium harknessi in, 617; white, blister rust in Pacific Northwest, 125
Pinus, lambertiana, 549; ponderosa, Polyporus schweinitzii Fr. on, 492, 549; resinosa, inoculated with sporidia of Cronartium ribicola, 588; species and susceptibility to Cronartium ribicola,

591–597; strobus, inoculation with sporidia of Cronartium ribicola, 584–590
Pisum sativum, mosaic in, 763
PLAKIDAS, A. G., Fusarium rot of peach, 92–98
————, An obscure new disease of the strawberry in California, 730
Plant Industry Catalog, and the literature of plant pathology, 722–724
Plant Pathology, in California (Abs.), 126; literature of, and the Plant Industry Catalog, 722–724
Plasmodiophora vascularum, on sugar cane roots, 562
Plectodiscella veneta, comparison with citrus scab fungus, 101
Pleosphaerulina briosiana, on alfalfa, 677–690
Plum, chicasa, host of Exoascus mirabilis, 214; pythiaceous infection of, 392–396
Polyporus schweinitzii, on Douglas fir, 568–569
Polyporus schweinitzii Fr. on yellow pine, 492–493
Polyspora lini, cause of browning disease of flax in North America, 806–807
POOLE, R. F., The relation of soil moisture to the pox or ground rot disease of sweet potato, 287
————, The relation of soil moisture to the pox disease of sweet potatoes, 48
————, Sweet potato varieties that produce well and are resistant to stem rot on sassafras sands, 48
Potassium permanganate, injury to watermelons, 480
Potato, injury by nemas, 503; leaf roll as affecting the carbohydrate, water, and nitrogen content of the host, 427–430; mosaic, effect of intermittent temperatures on, 46; seed treatment, 241–242; stipple-streak disease, 170; taxonomic studies of the organism causing black dot disease of, 300; tuber rot of, caused by Alternaria solani, 282; vascular browning of, 731; virus diseases, conference for the study of, 725
Potatoes, tuber rot caused by Alternaria solani, 49; Verticillium wilt of, 727; witches broom of (title only), 125
Pox, of sweet potato, relation of soil moisture to, 287; disease of sweet potatoes, 48
Prize, First award of the Eunice Rockwood Oberly Memorial, 65–66
Progress report on studies of crown gall in relation to nursery stock, 804
Prune, Pythiaceous infection of, 392–393
Prunus, angustifolia, 214
Pseudomonas campestris, 49; campestris, 48
Pseudoplea **medicaginis**, description of, 683
Pseudotsuga, taxifolia, 549, 568–569
Puccinia coronata Corda, alternate hosts of, 54; coronata, control of by dusting, 611–613; coronifera, 555; dispersa, rye resistant to, 58; graminis, 554; graminis avenae, control of by dusting, 611–613; graminis avenae, 555; graminis avenae, inheritance of resistance to, 54; graminis phleipratensis, 555; graminis secalis, rye resistant to, 58; graminis tritici, inheritance of resistance to in wheat, 371–387; graminis tritici, Webster, a common wheat resistant to, 691–698; triticina, 555
PUTTICK, G. F., obituary and in memorium, 319
Pythiaceous infection of deciduous fruit trees in California, 389–404
Pythiacystis citrophthora, and related strains, morphology of, 396–400; relation to Pythium and Phytophthora, 400–401
Pythium, aphanidermatum, 485; debaryanum on peas, 111; debaryanum, 483; infection of cabbage heads, 482–485; monospermum, 485; relation to Phytophthora and Pythiacystis, 400–401; spp. on peas, 111

Quack grass, Marasmius on, 115
QUANJER, H. M., chairman of the Interna-

tional Committee of Phytopathology and Economic Entomology, 725
Quantitative studies on the efficiency of fungicides, 203
Quercus californica, 549; velutina, Endothia on roots, 489

RAEDER, J. M., see HUNGERFORD, C. W., 727
RAMSEY, J. B., fumigation injury of watermelons (title), 479–481
Raspberries, A case of Verticillium wilt in Oregon, 125; spur blight of, 728
RATHBUN-GRAVATT, ANNIE, see SPAULDING, PERLEY, 573–583, see SNELL, WALTER H.
RAWLINS, T. E., A myxomycete occurring in the smaller roots of beets, 727
———, and R. L. MCCLAIN, Tip burn and "slime" diseases of lettuce in California, 727
———, and E. H. SMITH, A mycorrhizal fungus found in the smaller roots of celery, 727
Red clover, susceptibility to Tylenchus dipsaci, 510
Redtop, leaf spot caused by Helminthosporium, 51–52
Report, sixteenth annual meeting, American Phytopathological Society, 304–318
Reproduction of Helminthosporium gramineum, factors influencing, 802
Relation, of internal cob discoloration to yield in corn, 52; of oat smut infection to size of grain, 302; of soil moisture to the pox disease of sweet potatoes, 48
Resistance, to black stem rust, inheritance of in wheat, 371–387; of host to nemas, 526; to Puccinia graminis, genetic factors involved in different types of, 379–383; to sugar cane mosaic, 45–46; of sweet potatoes, varietal, to nematodes, 423–426
Results of experiments in 1924 with various chemical dusts for smut control in wheat (Abs.), 127
Review, of foreign literature on flagellates in plants, 273
Rhizoctonia solani on peas, 112
Rhizopus, nigricans on peaches, 123; rot of peaches, 122–124
Ribes, nigrum and bractiosum, host of white pine blister rust, 125; white pine blister rust on, 573–583
RIKER, A. J., Cytological studies of crown-gall tissue, 48
———, The influence of temperature and of previous infection on the development of crowngall, 45
———, and G. W. KEITT, Second report of progress on studies of crowngall in relation to nursery stock, 804
RODENHISER, H. A., and E. C. STAKMAN, The control of loose smuts of wheat and barley, and barley stripe by Uspulun, Semesan, and Germisan, 51
Root knot, on sugar cane in Porto Rico, 559–563
Root rot, or blight of canning peas, 300; of peas in the middle Atlantic States in 1924, 110–114
ROSEN, H. R., Fusarium vasinfectum and the damping off of cotton seedlings (title), 486–488
Rot, of apples caused by Botryosphaeria ribis. E. ALINE FENNER, 230; of Calimyrna fig, 728; center of French endive, 730; Fusarium, of peach, 92; Rhizopus of peaches, 122; brown of peaches, 122; root, or blight of canning peas, 300
Rumex crispus, resistance to and attenuating effect on the virus of sugar beet curly top, 746; resistance to the virus of sugar beet curly top, 746
Rust, black stem, inheritance of resistance to in wheat, 371–387; white pine blister in Pacific Northwest, 125; cereal, controlled by dusting, 611–613; of Washington, 126
Rye, loose smut of, 598–606; Marasmius on, 115; resistant to leaf rust, stem rust, and powdery mildew, 58–59; mosaic on winter, 495; varietal susceptibility to loose smut, 605

Sainfoin, susceptibility to Tylenchus dipsaci, 510
Sanitation in nursery for control of crown gall, 105

Scab, citrus, 99; of Photinia arbutifolia, 178; on avocado, 806
SCHNEIDERHAN, F. J., Rainfall in relation to ascospore discharge and infection in Venturia inaequalis, 56
————, The seasonal development of apple scab, 57
Scilla, nutans, infection by narcissus strain of nema, 509
Sclerospora graminicola, host range of, 721; on corn, 720–721; on Setaria viridis, 720–721
Sclerotinia americana, 535; americana, characterization of as compared with S. cinerea, 526; cinerea, 535; cinerea, 55; cinerea, characterization of as compared with S. americana, 536; fructicola, 535; fructigena, 535; libertiana, see S. sclerotiorum; sclerotiorum, 50; sclerotiorum, causing drop of Chinese and common cabbage, 349
Seasonal development and control of apple scab and cherry leaf spot, 57
Secale cereale, host of Marasmius tritici, 118
Seed, disinfectants, organic mercury, 51; transmission of pea mosaic, experiments on, 769–770; treatment for black rot (Pseudomonas campestris), 49; for bunt control in Idaho, 127; of cereals, 727; of potato, 241–242; for blackleg (Phoma lingam), 49
Seedling infection by Helminthosporium gramineum, 798
Seedlings, of cotton, damping off of, 486–488
SELBY, A. D., obituary and in memoriam, 319
Selecting for resistance to the sugar cane mosaic, 45–46
Semesan, for the control of cereal smuts, 651–676; in smut control, 127
Setaria viridis, Sclerospora graminicola on, 720–721
Sex, experiments with mushrooms and toadstools; a report of work of IRENE MOUNCE, W. F. HANNA, and DOROTHY E. NEWTON, 302
SHAPOVALOV, MICHAEL, High evaporation: a precursor and a concomitant of western yellow tomato blight (title), 470–478
————, The significance of the 1924 outbreak of western yellow tomato blight in the United States, 50
SHERBAKOFF, C. D., Effect of soil treatment with sulfur upon crowngall in nursery apple trees, 105–109
————, The Fusarium conference, 47
————, Use of agar blocks for photographing living spores, 44
Sicily, Bark diseases of citrus trees, 41–42
SIDERIS, CHRISTOS P., Studies on behavior of Fusarium chromyophthoron in carbohydrates, glucosides, proteins, and various decoctions with discussion on "isometabolic point" of substances, 129
Sinapis alba, catch plant for beet nemas, 503
Size of grain, relation of to oat smut infection, 302
"Slime" diseases of lettuce, 727
SMITH, ELIZABETH H., see SMITH, RALPH E.
————, see RAWLINS, T. E.
SMITH, RALPH E., Efficiency of a self-mixing duster, 235–237
———— and ELIZABETH H. SMITH, Further studies on Pythiaceous infection of deciduous fruit trees in California, 389–404
————, Plant Pathology in California, 126
Smut control, with chemical dusts, 127
Smuts, of oats and barley, 651–675
SNELL, WALTER H., and ANNIE RATHBUN-GRAVATT, Inoculation of Pinus strobus trees with sporidia of Cronartium ribicola, 548–590
Soil-inhabiting fungi parasitic on the pea plant, 59
Soil moisture, affecting Ophiobolus graminis, 494; relation to the pox disease of sweet potatoes, 48; relation of, to pox or ground rot disease of sweet potatoes, 287
Soil, presence of bacteriophage in, 359–366; temperature, affecting Ophiobolus

graminis, 494; treatment with sulfur, effect upon crowngall, 105

————, A partial explanation of the relative susceptibility of the white pines to the white pine blister rust (Cronartium ribicola, Fischer), 591–597

SPAULDING, PERLEY and ANNIE RATHBUN-GRAVATT, Conditions antecent to the infection of white pines by Cronartium ribicola in the Northeastern United States, 573–583

———— and ANNIE RATHBUN-GRAVATT, Longevity of the uredospores, teliospores, and sporidia of Cronartium ribicola, 58

Specialization in Helminthosporium sativum, 785

Sphaceloma, ampelinum, comparison with citrus scab fungus, 101; **fawcettii** n. sp. description, 101

Sphaeropsis malorum, the life history of the citrus stem-end rot "Diplodia" and relation to, 332–340

Sphaerulina trifolii, on clover, 677–690

Sporophores of Polyporus schweinitzii Fr., 492–493

Spray injury, to apple, 405–415; of peach, 321–331

Spur blight, of raspberry, 728

Stability, of physiologic forms of Helminthosporium sativum, 788

STADLER, L. J., The variety as a unit in studies of disease resistance, 51

STAKMAN, E. C., M. N. LEVINE, and FRED GRIFFEE, Webster, a common wheat resistant to black stem rust, 691–698

————, see HAYES, H. K.

STEARNS, H. C., see BARSS, H. P.

STEINER, G., The problem of host selection and host specialization of certain plant infesting nemas and its application in the study of nemic pests, 499–534

Stellaria media, susceptibility to sugar beet curly top, 745

Stem-break, of flax, 806–807

Stem rot, of sweet potatoes, varieties resistant to, 48

STEVENS, NEIL E., and MARGUERITE S. WILCOX, The citrus stem end-rot Diplodia;" its life history and relation to Sphaeropsis malorum, 332–340

————, EUNICE ROCKWOOD OBERLY, 61–64

————, Field observations on false blossom of the cultivated cranberry, 85–91

————, First award of the Eunice Rockwood Memorial Prize, 65–66

————, The literature of plant pathology and the Plant Industry catalog, 722–724

Stipple-streak disease of potato, 170

STONE, R. E., Root rot or blight of canning peas, 300

————, Winter blight or streak in tomatoes, 300

STOVER, W. G., AUGUSTINE DAWSON SELBY, 1–10

Strains, of nemas, 499–531

Strawberry, an obscure new disease of, 730

Streak, or winter blight in tomatoes, 300

Studies, on the cytology of sugar cane mosaic, 45; taxonomic, of organisms causing black-dot disease of potato, 300; on the tip burn disease of lettuce, 58

Suaeda moquini, attenuating effect of the virus of sugar beet curly-top, 746

Sugar beet curly-top, attenuation of the virus of, 745

Sugar cane, mosaic, cytology of, 45; mosaic, selecting for resistance to, 45–46; root knot on in Porto Rico, 559–563

Sulphur, control of cereal rusts by dusting with, 611–613; dust, injury to apples from, 405–415; effect of soil treatment with upon crown gall, 105; fungicides, quantitative determination of on foliage, 351

Summer field meeting of the American Phytopathological Society, 355; of cereal pathologists, 355

Sunflower wilt (title only), 125

Superficial fungi, mounting for study, 245–246

Susceptibility of Nicotiana species, varieties and hybrids to tobacco wildfire, 77–84

Sweet potato, a new foot rot of, 238–240; relation of soil moisture to pox or

ground rot disease of, 287; varieties that produce well and are resistant to stem rot on sassafras sands, 48
Sweet potatoes, mottle-necrosis of, 45; varietal resistance of to nematodes, 423–426
SWINGLE, D. B., Center rot of "French endive" or wilt of chicory, 730
Symptoms of mosaic on Physalis pubescens, 739

Tabulation of the genera Phoma and Macrophoma, 47
Take-all disease of wheat, environmental studies on, 494–495
Taphrina coerulescens, cultural characteristics, 71, inoculations, 72, and morphological characters, 73; communis, cultural characteristics, 69; morphological characters, 73; communis and T. mirabilis, 431
Taphrina, cultural characteristics, 70; cultural and morphological studies of some species, 67; deformans, cultural characteristics, 71; Johansonii, cultural characteristics, 69; morphological characters, 73; mirabilis, cultural characteristics, 69
TAPKE, VICTOR F., see HUMPHREY, HARRY B., 598–606
TAUBENHAUS, J. J., A new foot rot of the sweet potato, 238–240
TAYLOR, J. W., see TISDALE, W. H., 651–675
TAYLOR, T. M. C., see MCLARITY, H. R.
TEHON, L. R., and EVE DANIELS, a note on the brown leaf-spot of alfalfa, 714–719
Temperature, relation to infection by Helminthosporium gramineum, 796; relations in peach rots, 123
THOMAS, H. E., Apple blotch in New York State, 246–247
———, Observations on the growth of Armillaria mellea Vahl in culture, 729
Thyrospora sarcinaeforme, description of, 718
Tilletia tritici, control with chemical dusts, 127; secalis, possible identity with Tilletia tritici, 598–606; on rye, 598–606
Tip-burn of lettuce, 727
TISDALE, W. H., J. W. TAYLOR, R. W. LEUKEL, and MARION A. GRIFFITHS, New seed disinfectants for the control of wheat and the smuts of oats and barley, 651–675
——— and V. F. TAPKE, Infection of barley by Ustilago nuda through seed inoculation, 59
Toadstools, experiments on sex with mushrooms and: report of work of IRENE MOUNCE, W. F. HANNA, and DOROTHY E. NEWTON, 302
Tobacco, cross inoculation of mosaic from, to N. glutinosa, 544; mosaic, cross inoculations to Physalis pubescens, 737; wildfire, susceptibility of species and varieties to, 77
Tomato, blight in United States, 50; foot rot of, 240; mosaic, cross inoculations to Physalis pubescens, 737; mosaic, hyperplastic crushing of the tracheal tubes in affected stems, 759; Verticillium wilt, 187; western yellow blight of, 470–478
Tomatoes, winter blight or streak in, 300; yellow blight of, 727; susceptible to mosaic of N. glutinosa, 546; bacterial disease of, new to British Columbia, 302
TOMPKINS, C. M., Effect of intermittent temperatures on potato mosaic, 46
Tracheal tubes, crushing of in mosaic tomato stems, 759
Trefoil, susceptibility to Tylenchus dipsaci, 510
Trifolium pratense, mosaic in, 763; susceptibility of species to Pseudoplea **medicaginis**, 683
Triticum, diococcum dicoccoides, 554; vulgare, host of Marasmius **tritici**, 118; vulgare, cross of with T. durum, 554
Tuber rot, of potato, caused by Alternaria solani, 282
Tubercularia, canker of Chinese elm, 729
Tumors, and strands of crown gall, 435–453
Tylenchus dipsaci, specialization of, 507; sacchari, on sugar cane roots, 562

Uredinales of Washington, A preliminary report (Abs.), 126
Uredo secales, 598
Urocystis occulta, stem smut of rye, 598–606
Urophlyctis alfalfae, on alfalfa in Indiana, 807
Use of agar blocks for photographing living spores, 44
Uspulun, for the control of cereal smuts, 651–676
Ustilago nuda, infection of barley through seed infection, 59; seedling infection of barley, 798; secalena, 598; tritici, loose smut of rye, 598–606; tritici, seedling infection of wheat, 798; zeae, the reaction of selfed lines and crosses of maize to, 699–707

VAN HALTERN, FRANK, see MELHUS, I. E., 720–721
Varietal, resistance of sweet potatoes to nematodes, Heterodera radicicola (Greaf.) Müller, in California, 423–426; tests of peanut for wilt resistance, 55
Variety as a unit in studies of disease resistance, 51
Venturia inaequalis, ascospore discharge in, 56
Vernal emmer, 556
Verticillium albo-atrum on black raspberries in Oregon, 126; wilt (Blue stem) of black raspberries in Oregon, 125; wilt of potatoes (title only), 727; wilt of tomato, 187
Vigna sinensis, Cladosporium spot, 453
Virus, from potato transmissible to tobacco, 46; diseases, of animals, 189–192; diseases, certain aspects of, 189–202; of potato, conference for, 725; and their relation to potato seed certification. Discussion (title only), 125; of sugar beet curly-top attenuation of, 745

WAGENER, WILLIS W., Mistletoe in the lower bole of incense cedar, 614–616
WALKER, J. C., two undescribed species of Botrytis associated with the neck rot diseases of onion bulbs, 708–713
WALKER, M. N., The relation of certain species of Physalis to the overwintering of the mosaic disease of cucumber, 733
———, Studies on the mosaic disease of Nicotiana glutinosa, 543–547
Walnut, California black, Pythiaceous infection of, 396; antagonism of in certain plant associations, 773
WALTON, R. C., see YOUNG, H. C.
Water, content of potato plants as affected by leaf roll, 427–430; core in apples (title only), 125; flow interference in diseased stems, measuring, 44
Watermelon internal browning, 119–121
Watermelons, formaldehyde injury, 479–481; fumigation injury to, 479–81; potassium permanganate injury, 479–81
Webster, a common wheat resistant to black stem rust, 691–698; wheat, chromosome number of, 696
WEIMER, J. L., and L. L. HARTER, Varietal resistance of sweet potatoes to nematodes, Heterodera radicicola (Greaf.) Müller, in California, 423–426
———, Crown wart of alfalfa in Indiana, 807
WEIR, JAMES R., Notes on the parasitism of Endothia gyrosa (Schw.) Fr.
Wettable sulphur, spray injury to apples from, 405–415
Wheat, control of loose smut, 51; inheritance of disease resistance in, 341; inheritance of resistance to black stem rust in, 371–387; Marasmius on, 115; foot and root rots in Minnesota in 1924, 53; smut control with chemical dusts, 127; take-all disease of, 494–495; winter, mosaic on, 495–496
White clover, susceptibility to Tylenchus dipsaci, 510
White pine blister rust, in Northeastern states, 55; in Pacific Northwest, 125
White pines, conditions antecedent to the infection by Cronartium ribicola, 573–

583; a partial explanation of the relative susceptibility to white pine blister rust, 591–597

WILCOX, MARGUERITE S., see STEVENS, NEIL E., 332

Wildfire, tobacco, 77

Wilt, of Chicory, 730; Verticillium, of black raspberries, 125

Winter blight, or streak in tomatoes, 300

Witches broom of potatoes (title only), 125

WOLLENWEBER, H. W., and O. A. REINKING, Aliquot Fusaria tropicalia nova vel revisa, 155

Yellow blight of tomato, 727

YOUNG, H. C., and R. C. WALTON, Spray injury to apple, 405–415

YOUNG, P. A., A Marasmius parasitic on small grains in Illinois, 115–118

———, Tabulation of the genera Phoma and Macrophoma, 47

ZELLER, S. M., A case of Verticillium wilt (Blue stem) of black raspberry in Oregon, 125–126

———, Black rot and Myxosporium canker of apple and pear in the Pacific Northwest (title only), 125

———, Preliminary reports on transmission of dwarf of loganberry, 732

———, Some facts about loganberry dwarf, 125

——— and LEROY CHILDS, Another apple-tree anthracnose in the Pacific Northwest and a comparison with the well known apple-tree anthracnose, 728

——— and ROBERT V. NORRIS, Spur blight (Mycosphaerella rubina) of raspberry in Oregon, 728

Zonitoides arboreus on sugar cane roots, 562